

US Ecology, Inc.
9200 Shelbyville Road, Suite 526
P.O. Box 7246
Louisville, Kentucky 40207
502 426-7160

USEcology

September 20, 1985

Mr. William H. Finney
TECREP, INC.
2212 S.W. Temple, Suite 46
Salt Lake City, UT 84115

September 20, 1985

Re: Alaskan Copper Works
Generator # WAN 99-000-7494
WS# 07-002-1936

Dear Mr. Finney:

US Ecology has approved your request dated 9-17-85 for the disposal of 2 Category X drums only.

The Uniform National Manifest and Truck Inventory Sheet must accompany each PCB shipment.

If, at any time, there are any additions or changes to your approved disposal request form, please notify us in writing for review and approval before scheduling shipment with the facility.

Please notify the Beatty facility (702-553-2203) at least 48 hours prior to loading a transport vehicle and provide the facility with the following information:

Date of shipment
Approximate date of delivery
U.S. EPA Generator ID Number
Waste Stream Number
Quantity of shipment (# of containers per category, # cubic feet, weight per category.)

Any special handling requirements.

Should any shipment arrive at the facility without scheduling and completed Truck Inventory Sheet, the shipment is subject to rejection.


ity without scheduling and
is subject to rejection.

Our primary concern is the environmentally safe disposal of your PCB waste, and we feel that by asking you to adhere to the above procedures, it gives us the best opportunity to provide you with this professional waste management service.

Should you have any questions, please feel free to call us at 1-800-626-5317.

Please refer to the US Ecology waste stream number when making inquiries.

Sincerely,

A handwritten signature in cursive script, reading "Ginny Pallo".

Ginny Pallo, Supervisor
Market Data Services

cc: Mr. James C. Brown - Alaskan Copper Works